

Information:

Drawer: Accounts Payable - Invoices
Vendor Number: 1504171
Vendor Name: Al Warren Oil Company, Inc.
Invoice Number: W1371191
Invoice Date: 02/18/21
PO Number: B0370405
Check Number: 0277213
Check Amount: \$ 8,587.27
Check Date: 03/09/2021
Department ID: 00701
Reviewer Name: Kathy Striplin
Voucher Number: V0662195
Redaction Type: None
Document Type: AP Invoice

Document Below

From: QRI@alwarrenoil.com <QRI@alwarrenoil.com>
Sent: Fri Feb 19 08:07:02 CST 2021
To: invoicing@cod.edu
CC:
Subject: [External] Al Warren Oil Invoice

CAUTION: This email originated from outside of COD's system. Do not click links, open attachments, or respond with sensitive information unless you recognize the sender and know the content is safe.

Attached is invoice #W1371191. Meter ticket(s) are also attached. We thank you for your business!

[attachment: W1371191.pdf]
[attachment: AWOC-SS-WINTERPROGRAM-201023.PDF]
[attachment: DeliveryTicket_D0000658312.pdf]

AL WARREN OIL CO., INC.

Since 1948

Specialized Petroleum Marketers

Sold To: COLLEGE OF DUPAGE COMMUNITY SCHOOL DISTRICT 502
ACCTS PAYABLE
425 FAWELL BLVD
GLEN ELLYN, IL 60137

Invoice #: W1371191
Invoice Total: \$4,249.42
Invoice Date: 02/18/21
Customer #: C08363

Ship To: COLLEGE OF DUPAGE COMMUNITY SCHOOL DISTRICT 502
425 FAWELL BLDV
GLEN ELLYN, IL 60137 DU PAGE

SO #: D0000658312
Purchase Order #: 352822

Job #	Delivery Date	Quantity	Description	Unit Price / Rate	Job Total
8025076	02/10/21	1736.8000	MOBIL EFFICIENT ULSD UNDYED WINTER BLEND	1.9737	\$3,427.92
Document #: 8025076					
				State M.F. Tax	0.4620/Gal 802.40
				U.S. Tax	0.0030/Gal 5.21
				IL E.I.F.	0.0080/Gal 13.89
				APPROVED	
				02/22/21 - DIRK HEID	
				Load Total:	\$4,249.42

Order taken by Corporate office.

Al Warren Oil Company, Inc., 1646 Summer St., Hammond, IN 46320

Delivery Location Total: \$4,249.42

INVOICE REVIEWED
OKAY TO PAY
KATHY STRIPLIN 02/19/21

ELECTRONIC PAYMENT PREFERRED

ACH/WIRE INSTRUCTIONS:

Fifth Third Bank
ABA: 071923909
Account: 1900002976
Beneficiary: AL Warren Oil Company Inc.
Email Remittance: awocbilling@alwarrenoil.com

REMIT:

AL Warren Oil Company Inc.
P.O. Box 2279
Hammond, IN 46323

INVOICE

TOTAL: \$4,249.42



1646 SUMMER STREET, HAMMOND, IN 46320
WWW.ALWARRENOIL.COM
AWOCBILLING@ALWARRENOIL.COM
Phone: 219.228.5050 Fax: 219.852.6010



WINTER FUEL PROGRAM

Dear Valued Customer,

With winter approaching we wanted to take this opportunity to notify you of our program for this upcoming season.

We will begin our winter additive blending process for all Diesel fuels on November 9th**. We will cease biodiesel blending for above-ground tank deliveries (unless otherwise requested) and all direct-to-unit fills on December 7th and proceed with distributing Ultra-Low Sulfur Diesel #2 with winter additive.

Please be advised that diesel fuel at the refinery level may contain up to 5% biodiesel without disclosure. Al Warren Oil Company, Inc. will not increase the percentage of biodiesel unless requested by customer.

In the anticipated occurrences that temperatures will reach single-digit and sub-zero range, it is Al Warren Oil Company, Inc.'s intent (based on product availability) to implement the following blending procedure for Ultra-Low Sulfur Diesel #2 and Ultra-Low Sulfur Diesel #1 including winter additive:

Less than 5°F	Less than -5°F	Less than -15°F
90% #2 — 10% #1 blend	80% #2 — 20% #1 blend	50% #2 — 50% #1 blend

****Do not over treat fuel with additional additives! AWOC's winter blends are treated with the maximum allowed concentration of additives. Over additizing by end user could have negative effects!**

Orders for exact gallons of "straight" Ultra-low Sulfur Diesel #1 tank fills may be satisfied upon request

Please be advised that pricing for the above blends and Ultra-low Sulfur Diesel #1 are subject to market conditions and possible transportation fees

BE PROACTIVE

Utilize engine block heaters / Park trucks inside when possible / Drain fuel water separators / Change fuel filters

PREMIUM WINTER MOBIL DIESEL

Mobil Diesel Efficient™ fuel with cold flow improver.

MOBIL DIESEL EFFICIENT™

- Mobil Diesel Efficient™ is our best diesel fuel ever. It is engineered to optimize engine performance, improve productivity and enhance efficiency. And now, Mobil Diesel Efficient™ fuel is available with a winter warranty!™ Cold Flow Improver (CFI) is added over the winter months to help provide the cold weather operability you need to keep your business moving. The multi-functional detergent additive in Mobil Diesel Efficient™ fuel helps prevent deposit formation and clean up existing deposits from fuel injectors, the heartbeat of your diesel engines.

WHAT IS A COLD-FLOW IMPROVER?

- Cold-flow improvers are used to modify the shape of the wax crystals so that fuel keeps flowing through fuel filters at lower temperatures. Since the weather is not always predictable, a cold-flow improver provides an added margin of safety for cold-weather operability. #1 Diesel fuel blending is another option for cold-weather treatment. However, #1 Diesel fuel is typically more expensive and would need to be blended at significant levels to achieve the same results as the cold-flow improvers.

Mobil Diesel Efficient™ fuel is available with a winter warranty!™

Temperatures down to:

B0-B5 = -30°F

B11 = -10°F

Time frame:

November 1st - March 31st

WHY IS DIESEL IMPACTED BY LOW TEMPERATURES?

- Diesel fuel contains paraffins, which means that at low temperatures, the wax precipitates, or separates, from the fuel as wax crystals. As the temperature falls, these crystals grow and cover the fuel filter surface, which can lead to fuel starvation, loss of engine power and eventually stalling. Wax plays an important role in the fuel by enhancing cetane, which improves cold starting.

WINTER EQUIPMENT PREP

- Have all vehicles winterized beginning November 01.
- Drain fuel water separators. (Constantly monitor and maintain above and beyond scheduled PM inspections)

Change fuel filters (use highest OEM accepted micron fuel filters. Example 10-15 micron fuel filters as opposed to 2-5 micron fuel filters)

12 HOURS BEFORE EXPECTED TEMPS OF ZERO DEGREES OR COLDER

- Before shutting engine down, idle engine for 10-15 minutes to circulate treated fuel thru the entire fuel system.
- First start, let engine idle for 30-45 minutes. This will allow warm fuel to return fuel tanks and vital engine components. Thus dissolving any wax or ice build up in fuel. If adequate warm up time is not done, heavy waxy fuel will load up fuel system and engine will shut down due to fuel starvation.

*Limited warranty for winter fuel gelling. Assumes consistent use of unadulterated Mobil Diesel Efficient fuel provided by Al Warren Oil out of the Lockport, Des Plaines and Hammond fuel terminals by commercial customers receiving Mobil Diesel Efficient fuel directly to the unit, underground or above ground storage tanks or at Al Warren Oil fuel stations. Warranty claims are all subject to testing and assessment by both Al Warren Oil and ExxonMobil representatives. ©2020 ExxonMobil. Mobil Diesel Efficient™ and ExxonMobil are trademarks or registered trademarks of ExxonMobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners.

BE PROACTIVE

Utilize engine block heaters / Park trucks inside when possible / Drain fuel water separators / Change fuel filters

=====

Al Warren Oil Co., Inc.
1646 Summer St
Hammond, IN 46320
800-327-8903
**** WINTER BLEND ****

Units : A27A
Driver : (014) MOLINA, RAYMON

Customer Arriv Time: 02/10/2021 09:28:00
Delivery Start Time: 02/10/2021 09:29:16
Delivery Cmplt Time: 02/10/2021 11:09:00
=====

Sales Order: D0000658312

Ship To # : L09687
Ship To Address:
COLLEGE OF DUPAGE COMMUNITY SCHOOL
DISTRICT 502
425 FAWELL BLDV
GLEN ELLYN, IL 60137

Customer # : C08363
Customer Address:
COLLEGE OF DUPAGE COMMUNITY SCHOOL
DISTRICT 502
425 FAWELL BLVD
ACCTS PAYABLE
GLEN, IL 60137

=====

Product 1: 90/10 #2 ULSD and #1
ULSD15ppm On Rd

Tank ID	Net	End Time
ULSD	1736.8	11:09:00

Product 1 Delivered: 1736.8

Product 2: Gasoline (87 Octane)

Tank ID	Net	End Time
87OCT	2042.3	10:35:12

Product 2 Delivered: 2042.3

=====

Tank ID	Inches Fuel		Inches Water	
	Begin	End	Begin	End
ULSD	0	0	0	0
87OCT	0	0	0	0
ULSD	0	0	0	0

=====

Total Delivered: 3779.1

Received By: NO PERSON AVAILABLE

ON SHOP
DOOR
COR-19

=====

Delivery Demurrage
Arrival Time : 02/10/2021 09:28:00
Departure Time : 02/10/2021 11:09:00
Demurrage Minutes : 40
Reason : Tank Blocked

Notes:

DIESEL LID FROZEN
WAITING FOR MAINTENANCE MAN TO BRING
TOOLS TO OPEN LID

=====

Lat: 41.838741 Lon: -88.080894

Information:

Drawer: Accounts Payable - Invoices
Vendor Number: 1504171
Vendor Name: Al Warren Oil Company, Inc.
Invoice Number: W1369861
Invoice Date: 02/18/21
PO Number: B0370405
Check Number: 0277213
Check Amount: \$ 8,587.27
Check Date: 03/09/2021
Department ID: 00701
Reviewer Name: Kathy Striplin
Voucher Number: V0662198
Redaction Type: None
Document Type: AP Invoice

Document Below

From: QRI@alwarrenoil.com <QRI@alwarrenoil.com>
Sent: Fri Feb 19 08:04:43 CST 2021
To: invoicing@cod.edu
CC:
Subject: [External] Al Warren Oil Invoice

CAUTION: This email originated from outside of COD's system. Do not click links, open attachments, or respond with sensitive information unless you recognize the sender and know the content is safe.

Attached is invoice #W1369861. Meter ticket(s) are also attached. We thank you for your business!

[attachment: W1369861.pdf]
[attachment: AWOC-SS-WINTERPROGRAM-201023.PDF]
[attachment: DeliveryTicket_D0000658312.pdf]

AL WARREN OIL CO., INC.

Since 1948

Specialized Petroleum Marketers

Sold To: COLLEGE OF DUPAGE COMMUNITY SCHOOL DISTRICT 502
ACCTS PAYABLE
425 FAWELL BLVD
GLEN ELLYN, IL 60137

Invoice #: W1369861
Invoice Total: \$4,337.85
Invoice Date: 02/18/21
Customer #: C08363

Ship To: COLLEGE OF DUPAGE COMMUNITY SCHOOL DISTRICT 502
425 FAWELL BLVD
GLEN ELLYN, IL 60137

SO #: D0000658312
Purchase Order #: 352822

APPROVED
02/22/21 - DIRK HEID

Job #	Delivery Date	Quantity	Description	Unit Price / Rate	Job Total
1589961	02/10/21	2042.3000	GASOHOL 10% REG UNLEADED 87 OCT.	1.7260	\$3,525.01
Document #: 1589961					
State M.F. Tax				0.3870/Gal	790.37
IL U.S.T.				0.0030/Gal	6.13
IL E.I.F.				0.0080/Gal	16.34
Load Total:					\$4,337.85

Order taken by Corporate office.
Al Warren Oil Company, Inc., 1646 Summer St., Hammond, IN 46320

Delivery Location Total: \$4,337.85

INVOICE REVIEWED
OKAY TO PAY
KATHY STRIPLIN 02/19/21

ELECTRONIC PAYMENT PREFERRED

ACH/WIRE INSTRUCTIONS:

Fifth Third Bank
ABA: 071923909
Account: 1900002976
Beneficiary: AL Warren Oil Company Inc.
Email Remittance: awocbilling@alwarrenoil.com

REMIT:

AL Warren Oil Company Inc.
P.O. Box 2279
Hammond, IN 46323

INVOICE
TOTAL: \$4,337.85



1646 SUMMER STREET, HAMMOND, IN 46320
WWW.ALWARRENOIL.COM
AWOCBILLING@ALWARRENOIL.COM
Phone: 219.228.5050 Fax: 219.852.6010



WINTER FUEL PROGRAM

Dear Valued Customer,

With winter approaching we wanted to take this opportunity to notify you of our program for this upcoming season.

We will begin our winter additive blending process for all Diesel fuels on November 9th**. We will cease biodiesel blending for above-ground tank deliveries (unless otherwise requested) and all direct-to-unit fills on December 7th and proceed with distributing Ultra-Low Sulfur Diesel #2 with winter additive.

Please be advised that diesel fuel at the refinery level may contain up to 5% biodiesel without disclosure. Al Warren Oil Company, Inc. will not increase the percentage of biodiesel unless requested by customer.

In the anticipated occurrences that temperatures will reach single-digit and sub-zero range, it is Al Warren Oil Company, Inc.'s intent (based on product availability) to implement the following blending procedure for Ultra-Low Sulfur Diesel #2 and Ultra-Low Sulfur Diesel #1 including winter additive:

Less than 5°F	Less than -5°F	Less than -15°F
90% #2 — 10% #1 blend	80% #2 — 20% #1 blend	50% #2 — 50% #1 blend

****Do not over treat fuel with additional additives! AWOC's winter blends are treated with the maximum allowed concentration of additives. Over additizing by end user could have negative effects!**

Orders for exact gallons of "straight" Ultra-low Sulfur Diesel #1 tank fills may be satisfied upon request

Please be advised that pricing for the above blends and Ultra-low Sulfur Diesel #1 are subject to market conditions and possible transportation fees

BE PROACTIVE

Utilize engine block heaters / Park trucks inside when possible / Drain fuel water separators / Change fuel filters

PREMIUM WINTER MOBIL DIESEL

Mobil Diesel Efficient™ fuel with cold flow improver.

MOBIL DIESEL EFFICIENT™

- Mobil Diesel Efficient™ is our best diesel fuel ever. It is engineered to optimize engine performance, improve productivity and enhance efficiency. And now, Mobil Diesel Efficient™ fuel is available with a winter warranty!™ Cold Flow Improver (CFI) is added over the winter months to help provide the cold weather operability you need to keep your business moving. The multi-functional detergent additive in Mobil Diesel Efficient™ fuel helps prevent deposit formation and clean up existing deposits from fuel injectors, the heartbeat of your diesel engines.

WHAT IS A COLD-FLOW IMPROVER?

- Cold-flow improvers are used to modify the shape of the wax crystals so that fuel keeps flowing through fuel filters at lower temperatures. Since the weather is not always predictable, a cold-flow improver provides an added margin of safety for cold-weather operability. #1 Diesel fuel blending is another option for cold-weather treatment. However, #1 Diesel fuel is typically more expensive and would need to be blended at significant levels to achieve the same results as the cold-flow improvers.

Mobil Diesel Efficient™ fuel is available with a winter warranty!™

Temperatures down to:

B0-B5 = -30°F

B11 = -10°F

Time frame:

November 1st - March 31st

WHY IS DIESEL IMPACTED BY LOW TEMPERATURES?

- Diesel fuel contains paraffins, which means that at low temperatures, the wax precipitates, or separates, from the fuel as wax crystals. As the temperature falls, these crystals grow and cover the fuel filter surface, which can lead to fuel starvation, loss of engine power and eventually stalling. Wax plays an important role in the fuel by enhancing cetane, which improves cold starting.

WINTER EQUIPMENT PREP

- Have all vehicles winterized beginning November 01.
- Drain fuel water separators. (Constantly monitor and maintain above and beyond scheduled PM inspections)

Change fuel filters (use highest OEM accepted micron fuel filters. Example 10-15 micron fuel filters as opposed to 2-5 micron fuel filters)

12 HOURS BEFORE EXPECTED TEMPS OF ZERO DEGREES OR COLDER

- Before shutting engine down, idle engine for 10-15 minutes to circulate treated fuel thru the entire fuel system.
- First start, let engine idle for 30-45 minutes. This will allow warm fuel to return fuel tanks and vital engine components. Thus dissolving any wax or ice build up in fuel. If adequate warm up time is not done, heavy waxy fuel will load up fuel system and engine will shut down due to fuel starvation.

*Limited warranty for winter fuel gelling. Assumes consistent use of unadulterated Mobil Diesel Efficient fuel provided by Al Warren Oil out of the Lockport, Des Plaines and Hammond fuel terminals by commercial customers receiving Mobil Diesel Efficient fuel directly to the unit, underground or above ground storage tanks or at Al Warren Oil fuel stations. Warranty claims are all subject to testing and assessment by both Al Warren Oil and ExxonMobil representatives. ©2020 ExxonMobil. Mobil Diesel Efficient™ and ExxonMobil are trademarks or registered trademarks of ExxonMobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners.

BE PROACTIVE

Utilize engine block heaters / Park trucks inside when possible / Drain fuel water separators / Change fuel filters

=====

Al Warren Oil Co., Inc.
1646 Summer St
Hammond, IN 46320
800-327-8903
**** WINTER BLEND ****

Units : A27A
Driver : (014) MOLINA, RAYMON

Customer Arriv Time: 02/10/2021 09:28:00
Delivery Start Time: 02/10/2021 09:29:16
Delivery Cmplt Time: 02/10/2021 11:09:00
=====

Sales Order: D0000658312

Ship To # : L09687
Ship To Address:
COLLEGE OF DUPAGE COMMUNITY SCHOOL
DISTRICT 502
425 FAWELL BLVD
GLEN ELLYN, IL 60137

Customer # : C08363
Customer Address:
COLLEGE OF DUPAGE COMMUNITY SCHOOL
DISTRICT 502
425 FAWELL BLVD
ACCTS PAYABLE
GLEN, IL 60137

=====

Product 1: 90/10 #2 ULSD and #1
ULSD15ppm On Rd

Tank ID	Net	End Time
ULSD	1736.8	11:09:00

Product 1 Delivered: 1736.8

Product 2: Gasoline (87 Octane)

Tank ID	Net	End Time
87OCT	2042.3	10:35:12

Product 2 Delivered: 2042.3

=====

Tank ID	Inches Fuel		Inches Water	
	Begin	End	Begin	End
ULSD	0	0	0	0
87OCT	0	0	0	0
ULSD	0	0	0	0

=====

Total Delivered: 3779.1

Received By: NO PERSON AVAILABLE

ON SHOP
DOOR
COR-19

=====

Delivery Demurrage
Arrival Time : 02/10/2021 09:28:00
Departure Time : 02/10/2021 11:09:00
Demurrage Minutes : 40
Reason : Tank Blocked

Notes:

DIESEL LID FROZEN
WAITING FOR MAINTENANCE MAN TO BRING
TOOLS TO OPEN LID

=====

Lat: 41.838741 Lon: -88.080894