

# Chapter 19

## Vibrations & Waves

## What is a VIBRATION?

- A “wiggle” in time.
  - A mass bobbing up and down on a spring.
  - A swinging pendulum.
  - A beating heart.

## What is a WAVE?

- A “wiggle” in space as well as time.
  - A pulse traveling down a rope.
  - A sound disturbance.
  - A light flash.
  - A tsunami.

# Wave Description

- **Amplitude**: Distance from the midpoint to a crest (or trough) of the wave. (The “height” of the wave.)
- **Wavelength,  $\lambda$** : Distance between identical parts of the wave. (say, from the top of a crest to the next.)
- **Frequency,  $f$** : The number of complete oscillations per unit of time. (How often the vibrations occur. Measured in “Hertz” where 1 Hz = 1 cycles/s.)
- **Period,  $T$** : The time for one complete oscillation. (The inverse of the frequency:  $T = 1/f$ .)

# Wave Speed

Recall from (Chapter 3):

$$\text{Speed} = \text{Distance} / \text{Time}$$

$$\text{Wave Speed, } v = \text{Wavelength} / \text{Period} = \lambda / T.$$

$$\text{Since } T = 1/f, \text{ then } f = 1/T, \text{ so } v = \lambda f.$$

The wave speed only depends on the properties of the medium through which the disturbance passes.

# Types of Waves

**Transverse Waves:** Disturbance is perpendicular to the direction of propagation of the wave. A “side-to-side” disturbance. (Examples: Shaking a rope, light, the “wave” at sports stadiums.)

**Longitudinal Waves:** Disturbance is along the same direction as the propagation of the wave. A “push-pull” disturbance. (Example: sound waves)

**Combinations:** Exhibit both transverse and longitudinal motions. (Examples: water waves, Rayleigh waves.)

# Wave Interference

When waves overlap, they can either reinforce each other or they can cancel each other (wholly or partially). This is called **wave interference**.

- **Constructive Interference:** occurs when the overlapping waves produce a resulting wave that has a greater amplitude than either of the individual waves (like “crest” meets “crest”).
- **Destructive Interference:** occurs when the overlapping waves produce a resulting wave that has a smaller amplitude than either of the individual waves (like “crest” meets “trough”).

# Standing Waves

- Waves that appear to stay in place. These are the result of interference and **resonance**.
- When you continuously shake a rope, the disturbances you send reflect from the other end and interfere with the waves that you are sending. If you get the frequency just right, you achieve “resonance” and produce a standing wave. Only certain frequencies will produce a standing wave. These frequencies are called “resonant frequencies” or “harmonics.”

# Doppler Effect

- Perceived change in frequency due to motion of the source and/or observer.
- When source moves toward listener, the waves “bunch up” shortening the wavelength. The wave speed,  $v$  stays constant, the received frequency increases. (Recall  $v = lf$ .)
- When the source moves away from the listener,  $l$  is stretched, so the perceived  $f$  decreases.
- When listener moves toward source, the waves listener intercepts the wave fronts more often, so the perceived  $f$  increases.
- When listener moves away from the source, the waves listener intercepts fewer wave fronts in a given time, so the perceived  $f$  decreases.



# Bow Waves & Shock Waves

- These occur when the speed of the source of the disturbance moves through the medium as fast or faster than the wave it produces.
- **Bow Wave:** 2-dimensional “V-shape” that occurs on a surface behind the source. (Example: The wake behind a boat on water.)
- **Shock Wave:** 3-dimensional “cone-shape” that occurs behind the source. (Examples: A supersonic aircraft or a high-speed bullet.)